




DK120 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART




VA crossbar



AERO crossbar



EURO crossbar



HD crossbar

| Vehicle | Date | Crossbar | Front | | | | | Rear | | | | | | |
|----------------------|-------------|----------|------------------|-----------------|-----------------------------------|-----------------------------------|----------------------------|----------------------------|------------------|-----------------|-----------------------------------|-----------------------------------|----------------------------|----------------------------|
| | | | Right Pad/ Clamp | Left Pad/ Clamp | Measurement strip length per side | Measurement strip length per side | Measurement Distance (x) | Foot plate arrow direction | Right Pad/ Clamp | Left Pad/ Clamp | Measurement strip length per side | Measurement strip length per side | Measurement Distance (x) | Foot plate arrow direction |
| Lexus IS 4dr sedan | 11/05-06/13 | 1180mm | M367 SUB0145 | M367 SUB0145 | 187mm | 132mm | 942mm / 37,3/32" | OUT | M367 SUB0152 | M367 SUB0152 | 185mm | 130mm | 938mm / 36,59/64" | OUT |
| | | | Arrow FORWARD | | | | | | Arrow FORWARD | | | | | |
| Lexus IS F 4dr sedan | 10/08- | 1180mm | M367 SUB0145 | M367 SUB0145 | 187mm | 132mm | 942mm / 37,3/32" | OUT | M367 SUB0152 | M367 SUB0152 | 185mm | 130mm | 938mm / 36,59/64" | OUT |
| | | | Arrow FORWARD | | | | | | Arrow FORWARD | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |




DK120 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



| VEHICLE | Date | Measurement A | Measurement B | Load Rating (includes racks 5kg/ 11lbs) |
|----------------------|-------------|------------------|------------------|---|
| Lexus IS 4dr sedan | 11/05-06/13 | 240mm / 9,29/64" | 700mm / 27,9/16" | 75kg / 165lbs |
| Lexus IS F 4dr sedan | 10/08- | 240mm / 9,29/64" | 700mm / 27,9/16" | 75kg / 165lbs |
| | | | | |
| | | | | |
| | | | | |



DK120 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

| Crossbar | Slot Length on Aero/ Euro | VA formula (based on Euro/ Aero) 300mm slot |
|---------------|---------------------------|---|
| DA106 1060mm | 187mm | +110mm |
| DA1180 1180mm | 245mm | +55mm |
| DA1260 1260mm | 187mm | +113mm |
| DA1375 1375mm | 245mm | +55mm |
| DA1500 1500mm | 245mm | +55mm |