





DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction


IDENTIFICATION CHART




VA crossbar










AERO crossbar



EURO crossbar




HD crossbar

			FRONT CROSSBAR						REAR CROSSBAR							
																
Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction		
Holden Com-modore VF sportwagon	06/13-	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT		
			Arrow OUT						Arrow OUT							
Holden Com-modore VE/VE II sportwagon	04/08-05/13	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT		
			Arrow OUT						Arrow OUT							
HSV GEN-F tourer	06/13-	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT		
			Arrow OUT						Arrow OUT							
HSV E Series tourer	09/08-05/13	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT		
			Arrow OUT						Arrow OUT							
Vauxhall VXR8 wagon	09-	1260mm	M565 SUB0407	M564 SUB0407	178mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT		
			Arrow OUT						Arrow OUT							




DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction


IDENTIFICATION CHART




VA crossbar











AERO crossbar



EURO crossbar




HD crossbar

			FRONT CROSSBAR						REAR CROSSBAR								
					 VA	 AERO EURO	 HD							 VA	 AERO EURO	 HD	
Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction			
Holden Caprice WN sedan VE	06/13-	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT			
			Arrow OUT						Arrow OUT								
HSV Grange GEN-F sedan	06/13-	1260mm	M565 SUB0407	M564 SUB0407	174mm	61mm	996mm / 39,7/32"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT			
			Arrow OUT						Arrow OUT								
HSV Grange E-Series sedan	09/06-05/13	1260mm	M565 SUB0407	M564 SUB0407	174mm	61mm	996mm / 39,7/32"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT			
			Arrow OUT						Arrow OUT								
Holden Com-modore VF sedan	06/13-	1260mm	M565 SUB0407	M564 SUB0407	169mm	56mm	986mm / 38,13/16"	OUT	M567 SUB0408	M566 SUB0408	155mm	42mm	958mm / 37,23/32"	OUT			
			Arrow OUT						Arrow OUT								
HSV GEN-F sedan	06/13-	1260mm	M565 SUB0407	M564 SUB0407	173mm	60mm	994mm / 39,9/64"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT			
			Arrow OUT						Arrow OUT								




DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction


IDENTIFICATION CHART




VA crossbar



AERO crossbar







EURO crossbar







HD crossbar

FRONT CROSSBAR



REAR CROSSBAR



Vehicle	Date	Crossbar	Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
HSV E-Series sedan	09/06-05/13	1260mm	M565 SUB0407	M564 SUB0407	173mm	60mm	994mm / 39,9/64"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT
			Arrow OUT						Arrow OUT					
Chevrolet SS sedan	14-	1260mm	M565 SUB0407	M564 SUB0407	173mm	60mm	994mm / 39,9/64"	OUT	M567 SUB0408	M566 SUB0408	164mm	51mm	976mm / 38,27/64"	OUT
			Arrow OUT						Arrow OUT					
Commodore VF 4dr (single)	06/13	1260mm	M567 SUB0407	M566 SUB0407	165mm	52mm	978mm / 38,1/2"	OUT						
			Arrow OUT											





DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.


Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



Direction of Pad, Arrow and Foot Plates



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
Holden Commodore VF sportwagon	06/13-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
Holden Commodore VE/VE II sportwagon	04/08-05/13	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
HSV GEN-F tourer	06/13-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
HSV E Series tourer	09/08-05/13	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
Vauxhall VXR8 wagon	09-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
Holden Caprice WN sedan	06/13-	270mm / 10,5/8	720mm / 28,11/32"	75kg / 165lbs




DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.


Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.




Direction of Pad, Arrow and Foot Plates



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/11lbs)
HSV Grange GEN-F sedan	06/13-	270mm / 10,5/8	720mm / 28,11/32"	75kg / 165lbs
HSV Grange E-Series sedan	09/06-05/13	270mm / 10,5/8	720mm / 28,11/32"	75kg / 165lbs
Holden Commodore VF sedan	06/13-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
HSV GEN-F sedan	06/13-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
HSV E-Series sedan	09/06-05/13	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs
Chevrolet SS sedan	14-	250mm / 9,27/32	750mm / 29,17/32"	75kg / 165lbs



DK134 Rhino-Rack VA, Aero, Euro & HD crossbar instruction



SINGLE CENTRE CROSSBAR for sedan

VEHICLE	Date	Bar measurement strip. Length per side	HD Crossbar distance (x)	Pad / Clamp RIGHT	Pad / Clamp LEFT	Foot plate arrow direction	Crossbar
Holden Commodore VF sedan	06/13-	52mm	978mm / 38,1/2"	M566 / SUB0407 <i>pad arrow outward</i>	M567 / SUB0407 <i>pad arrow outward</i>	OUT	1260mm
HSV GEN-F sedan	06/13-						
HSV E-Series sedan	09/06-05/13						
Chevrolet SS sedan	14-						

SINGLE CENTRE CROSSBAR for sedan

VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks, 5kg/11lbs)
Holden Commodore VF sedan	06/13-	0mm	-	30kg / 66lbs
HSV GEN-F sedan	06/13-			
HSV E-Series sedan	09/06-05/13			
Chevrolet SS sedan	14-			