





DK152 Rhino-Rack VA, Aero, Euro & HD crossbar instruction


IDENTIFICATION CHART




VA crossbar










AERO crossbar



EURO crossbar



HD crossbar

			         											
Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Honda Civic 4dr sedan	2006 on	1260mm / 49,1/2"	M366 SUB0151	M366 SUB0151	186mm	73mm	1020mm / 40,5/32"	OUT	M366 SUB0151	M566 SUB0408	162mm	49mm	972mm / 38,17/64"	OUT
			Arrow FORWARD						Arrow FORWARD					
Scion XB 5dr hatch	2008 on	1375mm / 54"	M366 SUB0151	M366 SUB0151	198mm	143mm	1159mm / 45,5/8"	OUT	M366 SUB0151	M366 SUB0151	195mm	140mm	1153mm / 45,25/64"	OUT
			Arrow FORWARD						Arrow FORWARD					
Toyota Corolla E140 4dr sedan	2009 on	1180mm / 46,1/2"	M366 SUB0151	M366 SUB0151	201mm	146mm	970mm / 38,3/16"	OUT	M366 SUB0151	M366 SUB0151	195mm	140mm	958mm / 37,23/32"	OUT
			Arrow FORWARD						Arrow FORWARD					
Toyota Rukus 5dr hatch	06/2010 on	1375mm / 54"	M366 SUB0151	M366 SUB0151	198mm	143mm	1159mm / 45,5/8"	OUT	M366 SUB0151	M366 SUB0151	195mm	140mm	1153mm / 45,25/64"	OUT
			Arrow FORWARD						Arrow FORWARD					




DK152 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.


Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



Direction of Pad, Arrow and Foot Plates



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/11lbs)
Honda Civic 4dr Sedan	2006 on	300mm / 11,13/16"	700mm / 27,9/16"	50kg / 110lbs
Scion XB 5dr Hatch	2008 on	230mm / 9,1/16"	700mm / 27,9/16"	60kg / 132lbs
Toyota Corolla E140 4dr sedan	2009 on	240mm / 9,29/64"	700mm / 27,9/16"	50kg / 110lbs
Toyota Rukus 5dr hatch	06/2010 on	230mm / 9,1/16"	700mm / 27,9/16"	60kg / 132lbs



DK152 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Crossbar	Slot Length on Aero/ Euro	VA formula (based on Euro/ Aero) 300mm slot
DA106 1060mm	187mm	+110mm
DA1180 1180mm	245mm	+55mm
DA1260 1260mm	187mm	+113mm
DA1375 1375mm	245mm	+55mm
DA1500 1500mm	245mm	+55mm