

Kit 1228



HONDA Civic, 3-dr Hatchback, 02-03, 04-05

HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)



HONDA Civic, 5-dr Hatchback, 00-04 (JPN)

HONDA Stream, 5-dr MPV, 00-03, 04-06



480R
754



480



750



HONDA Civic, 3-dr Hatchback

Max. 50kg/110 lbs

HONDA Civic, 5-dr Hatchback

Max. 75kg/165 lbs

HONDA Stream, 5-dr MPV

Max. 50kg/110 lbs

Warning: Exceeding weight or speed limits is prohibited.

THULE Kit XXXX instructions

480R/754 x1 x4 x4 x4

480 x1 x4 x4 x4

750 x1 x4 x4 x4

x2 x2 x2 x4 x2 x2 x2 x2 x2 x2 x4 x4

153 x2

155 x2









06 x4

RR FR


FL RL

x1



Kit



3




754





750



1




2




	X
HONDA Civic, 3-dr Hatchback, 02-03, 04-05	28
HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)	32
HONDA Civic, 5-dr Hatchback, 00-04 (JPN)	32
HONDA Stream, 5-dr MPV, 00-03, 04-06	32

1



2



	Y
HONDA Civic, 3-dr Hatchback, 02-03, 04-05	25
HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)	29
HONDA Civic, 5-dr Hatchback, 00-04 (JPN)	29
HONDA Stream, 5-dr MPV, 00-03, 04-06	30,5




480R





480

1




2





	X inch	X mm
HONDA Civic, 3-dr Hatchback, 02-03, 04-05	36 ⁵/₈ "	931 mm
HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)	38 ¹/₄ "	971 mm
HONDA Civic, 5-dr Hatchback, 00-04 (JPN)	38 ¹/₄ "	971 mm
HONDA Stream, 5-dr MPV, 00-03, 04-06	38 ¹/₄ "	971 mm









1



2




	Y inch	Y mm
HONDA Civic, 3-dr Hatchback, 02-03, 04-05	35 ¹/₂ "	901 mm
HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)	37 "	941 mm
HONDA Civic, 5-dr Hatchback, 00-04 (JPN)	37 "	941 mm
HONDA Stream, 5-dr MPV, 00-03, 04-06	37 ⁵/₈ "	956 mm

4**HONDA Civic, 3-dr Hatchback, 02-03, 04-05****SRA****HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)****HONDA Civic, 5-dr Hatchback, 00-04 (JPN)****HONDA Stream, 5-dr MPV, 00-03, 04-06**



5



	X mm	Y mm	X inch	Y inch
HONDA Civic, 3-dr Hatchback, 02-03, 04-05	240 mm	700 mm	9 1/2"	27 1/2"
HONDA Civic, 5-dr Hatchback, 01-03, 04-05 (EUR)	260 mm	705 mm	10 1/4"	27 3/4"
HONDA Civic, 5-dr Hatchback, 00-04 (JPN)	260 mm	705 mm	10 1/4"	27 3/4"
HONDA Stream, 5-dr MPV, 00-03, 04-06	400 mm	660 mm	15 3/4"	26"




HONDA Civic, 3-dr Hatchback, 02-03, 04-05



- GB/US** Tighten alternately
- D** Die Schrauben abwechselnd anziehen
- F** Serrer alternativement chaque côté
- NL** Afwisselend aan de linker- en de rechterkant aandraaien
- I** Alternare il serraggio delle viti
- E** Apretar alternativamente
- PT** Aperte alternadamente
- S** Dra åt växelvis
- FIN** Kierrä vuorotellen
- EST** Pinguldage vaheldumisi
- LAT** Pielveciēt pamišus
- LIT** Užsukinėkite pakaitomis
- PL** Śruby dokręcaj naprzemiennie
- RU** Затягивайте попеременно

- CZ** Pokrétla bagażnika dokręcaj dokręcaj naprzemiennie.
- SK** Dofahujte striedavo
- SLO** Privijajte izmenično.
- HR** Naizmjenično zategnite
- HU** Egy mástól függetlenül szorítandó
- GR** Σφιγγεται εναλλάξ
- TR** Döñüşümlü sıkın

- 中文** 交替拧紧
- 한국어** 번갈아 가며 조이십시오.
- 日本語** 交互に締め付けてください。
- ไทย** ชั้้นในแบบสลับ









6





480R/754




480






THULE
SWEDEN
**ONE
KEY
SYSTEM**



		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		(x12)



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com