



Kit 1490



TOYOTA Kluger, 4-dr SUV, 07-*

* Without rails



480R
754



480



750



THULE[®]
SWEDEN

ISO 11154-E

**Max.
60kg**
**Max.
132 lbs**

x1

x4

x4

x4

x4

x1

x4

x4

x4

x4

x1

x4

x4

x4

x4

x2	x2	x2	x2	x2
x2	x2	x2	x2	x2
x2	x2	x2	x2	x2
x4	x4	x4	x4	x4






782 x4

07 x2




15 x2

x1



Kit



3



1




2



TOYOTA Kluger, 4-dr SUV, 07–

X
49,5

1




2



TOYOTA Kluger, 4-dr SUV, 07–


Y
47



480R

480

1



2




TOYOTA Kluger, 4-dr SUV, 07–

X inch
45 1/8"

X mm
1146 mm

1



2
















TOYOTA Kluger, 4-dr SUV, 07–

Y inch
44 1/8"


Y mm
1121 mm

4




TOYOTA Kluger, 4-dr SUV, 07–



5



	X mm	Y mm	X inch	Y inch
TOYOTA Kluger, 4-dr SUV, 07–	470 mm	750 mm	18 1/2"	29 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťte bagážníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól fűggetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้ในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		