







Kit 1494

ISUZU D-max Rodeo, 2-dr Single Cab, 02–
CHEVROLET Colorado, 2-dr Single Cab, 04–



THULE[®]
 SWEDEN

ISO 11154-E

Max.
50 kg
Max.
110 lbs

Kit XXXX
instructions

480R/754

480

750






x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2

95 x 2
961 x 2


02 x 2
65 x 2

x 1



Kit



3





754




750

1



2




X

ISUZU D-max Rodeo, 2-dr Single Cab, 02-
CHEVROLET Colorado, 2-dr Single Cab, 04-

34,5
34,5

1



2



Y

ISUZU D-max Rodeo, 2-dr Single Cab, 02-
CHEVROLET Colorado, 2-dr Single Cab, 04-

38
38




480R



480

1



2




X inch X mm

ISUZU D-max Rodeo, 2-dr Single Cab, 02-
CHEVROLET Colorado, 2-dr Single Cab, 04-

39 1/4" 996 mm
39 1/4" 996 mm

1



2










Y inch Y mm

ISUZU D-max Rodeo, 2-dr Single Cab, 02-
CHEVROLET Colorado, 2-dr Single Cab, 04-


40 5/8" 1031 mm
40 5/8" 1031 mm

4




ISUZU D-max Rodeo, 2-dr Single Cab, 02-
CHEVROLET Colorado, 2-dr Single Cab, 04-



5




	X mm	Y mm	X inch	Y inch
ISUZU D-max Rodeo, 2-dr Single Cab, 02–	285 mm	650 mm	11 1/4" "	25 5/8" "
CHEVROLET Colorado, 2-dr Single Cab, 04–	285 mm	650 mm	11 1/4" "	25 5/8" "



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokrétla bagażníka dokręcaj dokręcaj naprzemiennie.
SK Doťahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγετε εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ขันในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		